

# SPECIFICATION



 250t

 75m

 111m

# SAC2500E

SANY ALL TERRAIN CRANE


QUALITY CHANGES THE WORLD

[www.sanyglobal.com](http://www.sanyglobal.com)

# Working Conditions & Code Description

## 工况组合及工况代码说明

- T - Telescopic boom 主臂
- J - Fixed jib 固定副臂
- E - Boom extension 主臂延伸节
- H - Hydraulically adjustable jib 液压变幅副臂



T


TJ/TH

TEJ/TEH

TE2J/TE2H

# Operating Range - T

## 起升高度曲线 - 主臂





# Load Chart-T

## 性能表 - 主臂

Unit: t



|  m | 13.9  | 18.6  | 23.3  | 28.0  | 32.5 | 37.3 | 42.0 | 46.7 | 51.4 | 56.1 | 60.8 | 65.5 | 70.1 | 75.0 |  m |
|---|-------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|---|
| 2.5   | 250*  |       |       |       |      |      |      |      |      |      |      |      |      |      | 2.5   |
| 3   | 134.0 | 123.1 | 132.0 |       |      |      |      |      |      |      |      |      |      |      | 3   |
| 3.5   | 134.0 | 123.1 | 129.8 | 106.0 |      |      |      |      |      |      |      |      |      |      | 3.5   |
| 4   | 130.5 | 123.1 | 122.8 | 106.0 |      |      |      |      |      |      |      |      |      |      | 4   |
| 4.5   | 122.1 | 117.7 | 114.6 | 106.0 | 91.0 |      |      |      |      |      |      |      |      |      | 4.5   |
| 5   | 114.7 | 110.6 | 107.5 | 100.2 | 91.0 |      |      |      |      |      |      |      |      |      | 5   |
| 6   | 102.1 | 98.6  | 95.6  | 94.1  | 89.5 | 80.0 |      |      |      |      |      |      |      |      | 6   |
| 7   | 91.5  | 88.9  | 86.2  | 84.7  | 82.4 | 76.0 | 66.5 |      |      |      |      |      |      |      | 7   |
| 8   | 82.2  | 80.8  | 78.4  | 77.1  | 75.4 | 69.0 | 66.5 | 42.8 |      |      |      |      |      |      | 8   |
| 9   | 73.8  | 73.9  | 71.9  | 70.7  | 68.5 | 67.1 | 62.7 | 42.8 | 36.8 |      |      |      |      |      | 9   |
| 10  | 64.3  | 67.9  | 66.3  | 65.3  | 62.7 | 61.8 | 57.9 | 41.6 | 36.8 | 29.0 |      |      |      |      | 10  |
| 11  | 51.6  | 62.4  | 61.4  | 59.7  | 58.5 | 57.6 | 54.2 | 39.0 | 36.2 | 29.0 | 25.0 |      |      |      | 11  |
| 12  |       | 57.2  | 57.1  | 55.0  | 54.5 | 53.5 | 50.4 | 36.8 | 33.9 | 29.0 | 25.0 |      |      |      | 12  |
| 13  |       | 52.2  | 52.5  | 50.7  | 50.7 | 50.2 | 47.2 | 34.6 | 32.3 | 29.0 | 25.0 | 18.2 |      |      | 13  |
| 14  |       | 46.8  | 48.4  | 46.7  | 47.3 | 47.0 | 44.3 | 33.0 | 30.5 | 28.4 | 24.6 | 18.2 | 14.7 |      | 14  |
| 16  |       | 29.2  | 41.6  | 40.9  | 40.9 | 41.9 | 39.4 | 29.4 | 27.7 | 26.0 | 22.7 | 18.2 | 14.7 | 12.0 | 16  |
| 18  |       |       | 35.6  | 36.4  | 35.9 | 37.2 | 35.7 | 26.2 | 25.0 | 23.7 | 20.9 | 18.2 | 14.7 | 12.0 | 18  |
| 20  |       |       | 27.1  | 31.8  | 32.0 | 32.0 | 32.4 | 21.7 | 21.2 | 21.7 | 19.3 | 16.9 | 14.7 | 12.0 | 20  |
| 22  |       |       |       | 27.5  | 28.4 | 27.7 | 28.6 | 19.6 | 19.1 | 19.2 | 17.9 | 15.9 | 13.9 | 11.8 | 22  |
| 24  |       |       |       | 23.0  | 24.9 | 24.2 | 25.1 | 17.9 | 17.2 | 16.1 | 16.7 | 14.7 | 13.1 | 11.0 | 24  |
| 26  |       |       |       |       | 22.0 | 21.4 | 22.2 | 16.6 | 15.5 | 14.5 | 15.4 | 13.8 | 12.4 | 10.2 | 26  |
| 28  |       |       |       |       | 19.6 | 20.0 | 19.8 | 15.3 | 14.3 | 13.3 | 14.4 | 13.0 | 11.6 | 9.6  | 28  |
| 30  |       |       |       |       | 11.8 | 18.5 | 17.8 | 14.2 | 13.2 | 12.3 | 13.2 | 12.1 | 11.0 | 9.1  | 30  |
| 32  |       |       |       |       |      | 16.7 | 16.0 | 13.2 | 12.1 | 11.3 | 12.3 | 11.4 | 10.3 | 8.5  | 32  |
| 34  |       |       |       |       |      | 12.8 | 14.5 | 12.1 | 11.2 | 10.5 | 11.5 | 10.6 | 9.8  | 8.1  | 34  |
| 36  |       |       |       |       |      |      | 13.1 | 11.0 | 10.4 | 9.8  | 10.8 | 9.9  | 9.2  | 7.6  | 36  |
| 38  |       |       |       |       |      |      | 11.3 | 10.3 | 9.7  | 9.0  | 9.9  | 9.3  | 8.6  | 7.1  | 38  |
| 40  |       |       |       |       |      |      |      | 9.2  | 9.0  | 8.5  | 9.3  | 8.7  | 8.2  | 6.8  | 40  |
| 42  |       |       |       |       |      |      |      | 8.5  | 8.3  | 7.8  | 8.7  | 8.2  | 7.7  | 6.3  | 42  |
| 44  |       |       |       |       |      |      |      | 6.0  | 7.6  | 7.3  | 8.1  | 7.7  | 7.3  | 6.0  | 44  |
| 46  |       |       |       |       |      |      |      |      | 7.0  | 6.8  | 7.5  | 7.3  | 6.9  | 5.7  | 46  |
| 48  |       |       |       |       |      |      |      |      | 6.4  | 6.3  | 7.0  | 6.8  | 6.4  | 5.4  | 48  |
| 50  |       |       |       |       |      |      |      |      |      | 5.9  | 6.4  | 6.4  | 6.1  | 5.2  | 50  |
| 52  |       |       |       |       |      |      |      |      |      | 4.8  | 5.8  | 6.0  | 5.8  | 4.8  | 52  |
| 54  |       |       |       |       |      |      |      |      |      |      | 5.2  | 5.5  | 5.4  | 4.6  | 54  |
| 56  |       |       |       |       |      |      |      |      |      |      | 4.9  | 5.0  | 5.1  | 4.3  | 56  |
| 58  |       |       |       |       |      |      |      |      |      |      | 2.8  | 4.6  | 4.8  | 4.0  | 58  |
| 60  |       |       |       |       |      |      |      |      |      |      |      | 4.1  | 4.5  | 3.7  | 60  |
| 62  |       |       |       |       |      |      |      |      |      |      |      | 3.3  | 4.1  | 3.5  | 62  |
| 64  |       |       |       |       |      |      |      |      |      |      |      |      | 3.8  | 3.1  | 64  |
| 66  |       |       |       |       |      |      |      |      |      |      |      |      | 2.7  | 2.8  | 66  |
| 68  |       |       |       |       |      |      |      |      |      |      |      |      |      | 2.6  | 68  |
| 70  |       |       |       |       |      |      |      |      |      |      |      |      |      | 2.2  | 70  |

\* load over rear, requiring additional equipment.



\* 特殊配置正后方吊载。

# Load Chart-T

## 性能表 - 主臂

Unit: t





|  m | 13.9  | 18.6  | 23.3  | 28.0  | 32.5 | 37.3 | 42.0 | 46.7 | 51.4 | 56.1 | 60.8 | 65.5 | 70.1 | 75.0 |  m |
|---|-------|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|---|
| 3   | 134.0 | 123.1 | 132.0 |       |      |      |      |      |      |      |      |      |      |      | 3   |
| 3.5   | 134.0 | 123.1 | 129.8 | 106.0 |      |      |      |      |      |      |      |      |      |      | 3.5   |
| 4   | 128.0 | 123.1 | 122.8 | 106.0 |      |      |      |      |      |      |      |      |      |      | 4   |
| 4.5   | 119.2 | 117.7 | 114.6 | 106.0 | 91.0 |      |      |      |      |      |      |      |      |      | 4.5   |
| 5   | 110.3 | 110.6 | 103.0 | 94.8  | 88.2 |      |      |      |      |      |      |      |      |      | 5   |
| 6   | 93.0  | 87.7  | 80.7  | 75.2  | 70.0 | 66.8 |      |      |      |      |      |      |      |      | 6   |
| 7   | 74.4  | 69.5  | 64.8  | 62.1  | 57.6 | 55.6 | 51.7 |      |      |      |      |      |      |      | 7   |
| 8   | 60.4  | 57.9  | 53.8  | 52.0  | 48.6 | 47.3 | 44.2 | 40.7 |      |      |      |      |      |      | 8   |
| 9   | 48.2  | 48.8  | 47.0  | 45.0  | 41.7 | 41.0 | 38.4 | 36.7 | 35.0 |      |      |      |      |      | 9   |
| 10  | 39.7  | 41.8  | 40.6  | 40.2  | 36.3 | 35.9 | 33.7 | 32.4 | 31.4 | 29.0 |      |      |      |      | 10  |
| 11  | 33.3  | 35.4  | 35.6  | 35.5  | 32.0 | 31.8 | 29.9 | 28.8 | 28.2 | 27.1 | 24.8 |      |      |      | 11  |
| 12  |       | 30.4  | 32.3  | 31.6  | 28.5 | 28.5 | 27.4 | 25.8 | 25.9 | 24.8 | 23.5 |      |      |      | 12  |
| 13  |       | 26.4  | 28.3  | 28.4  | 25.5 | 25.8 | 24.7 | 23.8 | 23.6 | 22.5 | 21.6 | 18.2 |      |      | 13  |
| 14  |       | 23.7  | 25.0  | 25.5  | 22.9 | 23.4 | 22.4 | 21.9 | 21.7 | 20.8 | 20.4 | 18.1 | 14.7 |      | 14  |
| 16  |       | 18.7  | 20.0  | 20.5  | 18.9 | 19.5 | 18.6 | 19.3 | 18.2 | 18.2 | 17.2 | 16.3 | 14.7 | 12.0 | 16  |
| 18  |       |       | 16.4  | 16.8  | 17.1 | 16.4 | 15.7 | 16.5 | 15.5 | 15.6 | 14.7 | 13.8 | 12.8 | 12.0 | 18  |
| 20  |       |       | 13.6  | 14.0  | 14.9 | 13.7 | 13.8 | 14.2 | 13.2 | 13.4 | 12.6 | 11.8 | 10.8 | 10.6 | 20  |
| 22  |       |       |       | 11.8  | 12.7 | 11.5 | 12.5 | 12.3 | 11.4 | 11.6 | 10.8 | 10.1 | 9.2  | 9.0  | 22  |
| 24  |       |       |       | 10.5  | 10.9 | 9.7  | 11.0 | 10.6 | 9.9  | 10.1 | 9.4  | 8.7  | 7.8  | 7.7  | 24  |
| 26  |       |       |       |       | 9.3  | 8.8  | 9.5  | 9.1  | 8.6  | 8.8  | 8.1  | 7.5  | 6.7  | 6.5  | 26  |
| 28  |       |       |       |       | 8.1  | 8.1  | 8.3  | 7.8  | 7.3  | 7.8  | 7.1  | 6.5  | 5.7  | 5.5  | 28  |
| 30  |       |       |       |       | 6.9  | 7.4  | 7.2  | 6.7  | 6.1  | 6.7  | 6.2  | 5.6  | 4.8  | 4.7  | 30  |
| 32  |       |       |       |       |      | 6.5  | 6.2  | 5.7  | 5.2  | 5.8  | 5.3  | 4.8  | 4.0  | 3.9  | 32  |
| 34  |       |       |       |       |      | 5.6  | 5.3  | 4.8  | 4.4  | 4.9  | 4.4  | 4.0  | 3.4  | 3.3  | 34  |
| 36  |       |       |       |       |      |      | 4.7  | 4.1  | 3.6  | 4.1  | 3.7  | 3.3  | 2.7  | 2.7  | 36  |
| 38  |       |       |       |       |      |      | 4.0  | 3.5  | 3.0  | 3.5  | 3.0  | 2.6  | 2.0  | 2.1  | 38  |
| 40  |       |       |       |       |      |      |      | 2.9  | 2.4  | 2.9  | 2.5  | 2.0  | 1.5  | 1.5  | 40  |
| 42  |       |       |       |       |      |      |      | 2.4  | 1.9  | 2.4  | 1.9  | 1.5  | 0.9  | 1.0  | 42  |
| 44  |       |       |       |       |      |      |      | 1.8  | 1.4  | 2.0  | 1.5  | 1.1  |      |      | 44  |
| 46  |       |       |       |       |      |      |      |      | 1.0  | 1.5  | 1.0  |      |      |      | 46  |
| 48  |       |       |       |       |      |      |      |      |      | 1.1  | 0.7  |      |      |      | 48  |
| 50  |       |       |       |       |      |      |      |      |      | 0.8  |      |      |      |      | 50  |

# Load Chart-T

## 性能表 - 主臂


Unit: t



|  m | 13.9  | 18.6  | 23.3  | 28.0 | 32.5 | 37.3 | 42.0 | 46.7 | 51.4 | 56.1 | 60.8 | 65.5 | 70.1 | 75.0 |  m |
|---|-------|-------|-------|------|------|------|------|------|------|------|------|------|------|------|---|
| 3   | 134.0 | 123.1 | 132.0 |      |      |      |      |      |      |      |      |      |      |      | 3   |
| 3.5   | 134.0 | 123.1 | 111.1 | 93.9 |      |      |      |      |      |      |      |      |      |      | 3.5   |
| 4   | 120.3 | 102.3 | 88.4  | 79.5 |      |      |      |      |      |      |      |      |      |      | 4   |
| 4.5   | 93.8  | 83.7  | 74.3  | 67.1 | 59.5 |      |      |      |      |      |      |      |      |      | 4.5   |
| 5   | 76.3  | 69.7  | 63.6  | 59.6 | 51.6 |      |      |      |      |      |      |      |      |      | 5   |
| 6   | 54.5  | 51.4  | 49.6  | 46.2 | 40.4 | 39.1 |      |      |      |      |      |      |      |      | 6   |
| 7   | 41.5  | 40.1  | 39.5  | 37.3 | 36.0 | 31.5 | 31.7 |      |      |      |      |      |      |      | 7   |
| 8   | 28.7  | 32.6  | 31.9  | 30.2 | 29.6 | 26.9 | 26.5 | 24.3 |      |      |      |      |      |      | 8   |
| 9   | 20.9  | 24.8  | 26.2  | 25.1 | 24.9 | 24.1 | 22.5 | 20.7 | 19.0 |      |      |      |      |      | 9   |
| 10  | 15.6  | 19.2  | 21.3  | 22.2 | 21.4 | 20.7 | 19.4 | 17.8 | 16.3 | 16.2 |      |      |      |      | 10  |
| 11  | 11.8  | 15.3  | 17.2  | 18.8 | 18.5 | 18.0 | 16.9 | 15.5 | 14.2 | 14.2 | 13.0 |      |      |      | 11  |
| 12  |       | 12.2  | 14.1  | 15.6 | 16.0 | 15.8 | 14.9 | 13.6 | 12.4 | 12.5 | 11.4 |      |      |      | 12  |
| 13  |       | 9.9   | 11.7  | 13.2 | 13.5 | 14.0 | 13.1 | 12.0 | 10.9 | 11.0 | 10.0 | 9.1  |      |      | 13  |
| 14  |       | 8.0   | 9.7   | 11.2 | 11.5 | 12.0 | 11.7 | 10.6 | 9.6  | 9.8  | 8.8  | 8.0  | 6.9  |      | 14  |
| 16  |       | 5.1   | 6.8   | 8.2  | 8.5  | 8.9  | 8.7  | 8.1  | 7.5  | 7.7  | 6.9  | 6.1  | 5.2  | 5.0  | 16  |
| 18  |       |       | 4.7   | 6.0  | 6.4  | 6.8  | 6.5  | 5.9  | 5.3  | 6.0  | 5.4  | 4.7  | 3.8  | 3.6  | 18  |
| 20  |       |       | 3.1   | 4.4  | 4.8  | 5.2  | 4.9  | 4.3  | 3.8  | 4.3  | 3.8  | 3.3  | 2.6  | 2.6  | 20  |
| 22  |       |       |       | 3.2  | 3.4  | 3.9  | 3.6  | 3.1  | 2.5  | 3.1  | 2.6  | 2.1  | 1.4  | 1.5  | 22  |
| 24  |       |       |       | 2.2  | 2.5  | 2.8  | 2.6  | 2.1  | 1.5  | 2.1  | 1.6  | 1.1  |      |      | 24  |
| 26  |       |       |       |      | 1.6  | 2.0  | 1.8  | 1.3  | 0.7  | 1.3  | 0.8  |      |      |      | 26  |
| 28  |       |       |       |      | 0.9  | 1.3  | 1.1  |      |      |      |      |      |      |      | 28  |
| 30  |       |       |       |      |      | 0.7  |      |      |      |      |      |      |      |      | 30  |

# Operating Range - TJ / TH


## 起升高度曲线 - 副臂



# Load Chart-TJ / TH

## 性能表 - 副臂

Unit: t




| m  | 56.1 |     |     |     | 60.8 |      |     |     | 65.5 |      |     |     | 70.1 |     |     |     | 75.0 |     |     |     | m  |
|----|------|-----|-----|-----|------|------|-----|-----|------|------|-----|-----|------|-----|-----|-----|------|-----|-----|-----|----|
|    | 11.2 |     |     |     | 11.2 |      |     |     | 11.2 |      |     |     | 11.2 |     |     |     | 11.2 |     |     |     |    |
|    | 0°   | 15° | 30° | 50° | 0°   | 15°  | 30° | 50° | 0°   | 15°  | 30° | 50° | 0°   | 15° | 30° | 50° | 0°   | 15° | 30° | 50° |    |
| 13 | 14.6 |     |     |     |      |      |     |     |      |      |     |     |      |     |     |     |      |     |     |     | 13 |
| 14 | 14.6 |     |     |     | 13.0 |      |     |     |      |      |     |     |      |     |     |     |      |     |     |     | 14 |
| 16 | 14.6 | 9.9 |     |     | 12.9 |      |     |     | 11.2 |      |     |     |      |     |     |     |      |     |     |     | 16 |
| 18 | 14.5 | 9.6 | 6.6 |     | 12.8 | 10.3 |     |     | 11.0 | 10.8 |     |     | 6.9  |     |     |     | 5.3  |     |     |     | 18 |
| 20 | 14.1 | 9.3 | 6.4 | 4.9 | 12.5 | 10.1 | 6.6 |     | 10.9 | 10.6 | 6.7 |     | 6.9  | 7.0 |     |     | 5.3  |     |     |     | 20 |
| 22 | 13.7 | 9.0 | 6.3 | 4.8 | 12.3 | 9.9  | 6.5 | 4.8 | 10.8 | 10.4 | 6.7 | 4.8 | 6.9  | 7.0 | 6.0 |     | 5.3  | 5.3 |     |     | 22 |
| 24 | 13.2 | 8.6 | 6.1 | 4.7 | 11.9 | 9.6  | 6.4 | 4.7 | 10.5 | 10.2 | 6.7 | 4.7 | 6.9  | 7.0 | 6.0 | 5.1 | 5.3  | 5.3 | 5.3 |     | 24 |
| 26 | 12.6 | 8.2 | 5.9 | 4.6 | 11.3 | 9.1  | 6.3 | 4.6 | 10.0 | 9.7  | 6.7 | 4.6 | 6.9  | 7.0 | 6.0 | 5.1 | 5.3  | 5.3 | 5.3 | 5.4 | 26 |
| 28 | 12.0 | 7.9 | 5.8 | 4.6 | 10.8 | 8.7  | 6.2 | 4.6 | 9.6  | 9.3  | 6.7 | 4.6 | 6.9  | 7.0 | 6.0 | 5.0 | 5.3  | 5.3 | 5.3 | 5.4 | 28 |
| 30 | 11.3 | 7.5 | 5.7 | 4.5 | 10.2 | 8.3  | 6.2 | 4.5 | 9.1  | 8.9  | 6.7 | 4.5 | 6.9  | 7.0 | 6.0 | 4.9 | 5.3  | 5.3 | 5.3 | 5.4 | 30 |
| 32 | 10.6 | 7.1 | 5.5 | 4.5 | 9.6  | 7.9  | 6.1 | 4.5 | 8.6  | 8.5  | 6.7 | 4.5 | 6.9  | 6.9 | 6.0 | 4.9 | 5.3  | 5.3 | 5.3 | 5.3 | 32 |
| 34 | 9.8  | 6.8 | 5.4 | 4.4 | 9.0  | 7.5  | 6.1 | 4.4 | 8.2  | 8.1  | 6.7 | 4.4 | 6.7  | 6.7 | 6.0 | 4.8 | 5.3  | 5.3 | 5.3 | 5.2 | 34 |
| 36 | 9.1  | 6.4 | 5.3 | 4.4 | 8.4  | 7.1  | 6.0 | 4.4 | 7.8  | 7.7  | 6.7 | 4.4 | 6.4  | 6.5 | 6.0 | 4.8 | 5.1  | 5.2 | 5.2 | 5.2 | 36 |
| 38 | 8.4  | 6.1 | 5.2 | 4.4 | 7.9  | 6.7  | 5.9 | 4.4 | 7.3  | 7.2  | 6.7 | 4.4 | 6.2  | 6.2 | 5.9 | 4.7 | 5.1  | 5.2 | 5.2 | 5.1 | 38 |
| 40 | 7.8  | 5.9 | 5.0 | 4.4 | 7.3  | 6.3  | 5.9 | 4.4 | 6.8  | 6.7  | 6.7 | 4.4 | 5.8  | 5.9 | 5.9 | 4.7 | 4.9  | 5.0 | 5.0 | 4.9 | 40 |
| 42 | 7.3  | 5.7 | 5.0 |     | 6.8  | 6.0  | 5.8 | 4.3 | 6.3  | 6.3  | 6.6 | 4.3 | 5.6  | 5.6 | 5.8 | 4.6 | 4.8  | 4.9 | 4.9 | 4.9 | 42 |
| 44 | 6.7  | 5.4 | 5.0 |     | 6.3  | 5.6  | 5.5 |     | 5.9  | 5.9  | 6.0 | 4.3 | 5.3  | 5.3 | 5.4 | 4.5 | 4.7  | 4.8 | 4.8 | 4.7 | 44 |
| 46 | 6.0  | 5.1 | 4.9 |     | 5.7  | 5.2  | 5.2 |     | 5.4  | 5.4  | 5.5 |     | 4.9  | 4.9 | 5.0 | 4.3 | 4.3  | 4.3 | 4.3 | 4.3 | 46 |
| 48 | 5.3  | 4.9 | 4.7 |     | 5.2  | 5.0  | 4.9 |     | 5.0  | 5.1  | 5.1 |     | 4.6  | 4.6 | 4.7 |     | 4.0  | 4.0 | 4.0 | 4.1 | 48 |
| 50 | 4.6  | 4.5 | 4.3 |     | 4.7  | 4.6  | 4.5 |     | 4.7  | 4.7  | 4.8 |     | 4.2  | 4.3 | 4.3 |     | 3.6  | 3.7 | 3.6 | 3.8 | 50 |
| 52 | 4.2  | 4.1 | 4.0 |     | 4.3  | 4.2  | 4.2 |     | 4.3  | 4.4  | 4.4 |     | 4.0  | 4.0 | 4.0 |     | 3.3  | 3.4 | 3.4 |     | 52 |
| 54 | 3.9  | 3.9 | 3.9 |     | 4.0  | 4.0  | 4.0 |     | 4.0  | 4.1  | 4.1 |     | 3.7  | 3.8 | 3.8 |     | 3.1  | 3.1 | 3.1 |     | 54 |
| 56 | 3.7  | 3.8 |     |     | 3.7  | 3.7  | 3.8 |     | 3.7  | 3.7  | 3.7 |     | 3.4  | 3.6 | 3.6 |     | 2.8  | 2.9 | 2.9 |     | 56 |
| 58 | 3.4  | 3.5 |     |     | 3.4  | 3.4  | 3.3 |     | 3.3  | 3.3  | 3.3 |     | 3.2  | 3.3 | 3.2 |     | 2.6  | 2.7 | 2.7 |     | 58 |
| 60 | 3.0  | 3.1 |     |     | 3.1  | 3.1  |     |     | 3.1  | 3.1  | 3.1 |     | 3.0  | 3.1 | 3.0 |     | 2.4  | 2.5 | 2.4 |     | 60 |
| 62 | 2.8  |     |     |     | 2.9  | 2.9  |     |     | 2.9  | 2.9  |     |     | 2.8  | 2.9 | 2.8 |     | 2.3  | 2.3 | 2.3 |     | 62 |
| 64 |      |     |     |     | 2.6  | 2.6  |     |     | 2.8  | 2.7  |     |     | 2.7  | 2.7 | 2.6 |     | 2.0  | 2.1 | 2.0 |     | 64 |
| 66 |      |     |     |     | 2.3  |      |     |     | 2.6  | 2.6  |     |     | 2.5  | 2.5 |     |     | 1.9  | 1.9 | 1.8 |     | 66 |
| 68 |      |     |     |     | 0.8  |      |     |     | 2.3  | 2.3  |     |     | 2.3  | 2.3 |     |     | 1.7  | 1.8 | 1.7 |     | 68 |
| 70 |      |     |     |     |      |      |     |     | 2.0  |      |     |     | 2.0  | 2.0 |     |     | 1.5  | 1.5 |     |     | 70 |
| 72 |      |     |     |     |      |      |     |     | 0.9  |      |     |     | 1.7  | 1.8 |     |     | 1.3  | 1.3 |     |     | 72 |
| 74 |      |     |     |     |      |      |     |     |      |      |     |     | 1.5  | 1.6 |     |     | 1.0  | 1.0 |     |     | 74 |
| 76 |      |     |     |     |      |      |     |     |      |      |     |     | 1.0  |     |     |     | 0.9  | 0.9 |     |     | 76 |



# Load Chart-TJ / TH

## 性能表 - 副臂

Unit: t



| m  | 56.1 |     |     |     | 60.8 |     |     |     | 65.5 |     |     |     | 70.1 |     |     |     | 75.0 |     |     |     | m   |    |
|----|------|-----|-----|-----|------|-----|-----|-----|------|-----|-----|-----|------|-----|-----|-----|------|-----|-----|-----|-----|----|
|    | 20.0 |     |     |     | 20.0 |     |     |     | 20.0 |     |     |     | 20.0 |     |     |     | 20.0 |     |     |     |     |    |
|    | 0°   | 15° | 30° | 50° | 0°   | 15° | 30° | 50° | 0°   | 15° | 30° | 50° | 0°   | 15° | 30° | 50° | 0°   | 15° | 30° | 50° |     |    |
| 16 | 6.0  |     |     |     |      |     |     |     |      |     |     |     |      |     |     |     |      |     |     |     | 16  |    |
| 18 | 5.9  |     |     |     | 5.3  |     |     |     | 4.7  |     |     |     |      |     |     |     |      |     |     |     | 18  |    |
| 20 | 5.7  | 5.5 |     |     | 5.2  |     |     |     | 4.7  |     |     |     | 4.1  |     |     |     |      | 3.6 |     |     | 20  |    |
| 22 | 5.5  | 5.3 |     |     | 5.0  | 5.0 |     |     | 4.6  | 4.8 |     |     | 4.1  |     |     |     |      | 3.6 |     |     | 22  |    |
| 24 | 5.3  | 5.0 | 2.8 |     | 4.9  | 4.8 |     |     | 4.5  | 4.6 |     |     | 4.1  | 4.1 |     |     |      | 3.6 |     |     | 24  |    |
| 26 | 5.1  | 4.7 | 2.7 |     | 4.7  | 4.6 | 2.8 |     | 4.4  | 4.5 | 2.8 |     | 4.0  | 4.1 |     |     |      | 3.6 | 3.7 |     | 26  |    |
| 28 | 4.9  | 4.5 | 2.6 | 2.1 | 4.6  | 4.4 | 2.7 |     | 4.3  | 4.3 | 2.8 |     | 4.0  | 4.0 | 2.8 |     |      | 3.6 | 3.7 | 2.9 | 28  |    |
| 30 | 4.7  | 4.3 | 2.5 | 2.1 | 4.4  | 4.2 | 2.6 | 2.1 | 4.2  | 4.1 | 2.7 | 2.1 | 3.9  | 3.9 | 2.7 |     |      | 3.6 | 3.7 | 2.8 | 30  |    |
| 32 | 4.5  | 4.1 | 2.5 | 2.1 | 4.3  | 4.0 | 2.5 | 2.1 | 4.1  | 4.0 | 2.6 | 2.1 | 3.9  | 3.8 | 2.7 | 2.0 |      | 3.6 | 3.6 | 2.7 | 32  |    |
| 34 | 4.3  | 3.9 | 2.4 | 2.0 | 4.2  | 3.9 | 2.5 | 2.0 | 4.0  | 3.8 | 2.5 | 2.0 | 3.8  | 3.7 | 2.6 | 2.0 |      | 3.6 | 3.6 | 2.6 | 2.0 | 34 |
| 36 | 4.1  | 3.7 | 2.3 | 2.0 | 4.0  | 3.7 | 2.4 | 2.0 | 3.9  | 3.7 | 2.5 | 2.0 | 3.7  | 3.6 | 2.6 | 2.0 |      | 3.6 | 3.5 | 2.6 | 2.0 | 36 |
| 38 | 4.0  | 3.6 | 2.3 | 2.0 | 3.9  | 3.6 | 2.4 | 2.0 | 3.8  | 3.6 | 2.4 | 2.0 | 3.6  | 3.5 | 2.5 | 2.0 |      | 3.5 | 3.5 | 2.5 | 2.0 | 38 |
| 40 | 3.8  | 3.4 | 2.3 | 2.0 | 3.8  | 3.4 | 2.3 | 2.0 | 3.7  | 3.4 | 2.4 | 2.0 | 3.5  | 3.4 | 2.4 | 2.0 |      | 3.4 | 3.3 | 2.5 | 2.0 | 40 |
| 42 | 3.7  | 3.3 | 2.2 | 2.0 | 3.6  | 3.3 | 2.3 | 2.0 | 3.6  | 3.3 | 2.4 | 2.0 | 3.4  | 3.3 | 2.4 | 2.0 |      | 3.3 | 3.3 | 2.5 | 2.0 | 42 |
| 44 | 3.5  | 3.1 | 2.2 | 2.0 | 3.5  | 3.1 | 2.2 | 2.0 | 3.5  | 3.1 | 2.3 | 2.0 | 3.3  | 3.2 | 2.3 | 2.0 |      | 3.2 | 3.2 | 2.4 | 2.0 | 44 |
| 46 | 3.3  | 3.0 | 2.2 | 1.9 | 3.4  | 3.0 | 2.2 | 1.9 | 3.4  | 3.0 | 2.3 | 1.9 | 3.2  | 3.1 | 2.3 | 2.0 |      | 3.1 | 3.1 | 2.4 | 2.0 | 46 |
| 48 | 3.2  | 2.8 | 2.1 |     | 3.3  | 2.9 | 2.1 | 1.9 | 3.3  | 2.9 | 2.2 | 1.9 | 3.1  | 3.0 | 2.2 | 2.0 |      | 3.0 | 3.1 | 2.3 | 2.0 | 48 |
| 50 | 3.0  | 2.7 | 2.1 |     | 3.1  | 2.7 | 2.1 | 1.9 | 3.1  | 2.8 | 2.2 | 1.9 | 3.0  | 2.9 | 2.2 | 1.9 |      | 2.9 | 3.0 | 2.3 | 1.9 | 50 |
| 52 | 3.0  | 2.6 | 2.0 |     | 3.0  | 2.6 | 2.1 |     | 3.0  | 2.7 | 2.2 | 1.9 | 2.9  | 2.8 | 2.2 | 1.9 |      | 2.8 | 2.8 | 2.3 | 1.9 | 52 |
| 54 | 2.9  | 2.5 | 2.0 |     | 2.9  | 2.5 | 2.1 |     | 3.0  | 2.6 | 2.1 |     | 2.8  | 2.7 | 2.2 | 1.9 |      | 2.7 | 2.8 | 2.2 | 1.8 | 54 |
| 56 | 2.8  | 2.4 | 2.0 |     | 2.8  | 2.4 | 2.1 |     | 2.9  | 2.5 | 2.1 |     | 2.7  | 2.6 | 2.1 |     |      | 2.6 | 2.6 | 2.2 | 1.8 | 56 |
| 58 | 2.7  | 2.3 | 2.0 |     | 2.8  | 2.4 | 2.1 |     | 2.9  | 2.4 | 2.1 |     | 2.7  | 2.5 | 2.1 |     |      | 2.5 | 2.5 | 2.2 |     | 58 |
| 60 | 2.6  | 2.2 | 2.0 |     | 2.7  | 2.3 | 2.0 |     | 2.8  | 2.3 | 2.1 |     | 2.5  | 2.3 | 2.1 |     |      | 2.2 | 2.3 | 2.2 |     | 60 |
| 62 | 2.5  | 2.1 |     |     | 2.5  | 2.2 | 2.0 |     | 2.7  | 2.3 | 2.1 |     | 2.4  | 2.2 | 2.1 |     |      | 2.1 | 2.2 | 2.2 |     | 62 |
| 64 | 2.4  | 2.1 |     |     | 2.3  | 2.1 | 2.0 |     | 2.5  | 2.2 | 2.0 |     | 2.2  | 2.1 | 2.1 |     |      | 1.9 | 2.0 | 2.1 |     | 64 |
| 66 | 2.3  | 2.0 |     |     | 2.2  | 2.1 | 1.9 |     | 2.4  | 2.1 | 2.0 |     | 2.1  | 2.0 | 2.0 |     |      | 1.8 | 1.9 | 1.9 |     | 66 |
| 68 | 2.1  | 2.0 |     |     | 2.0  | 2.0 |     |     | 2.2  | 2.0 | 1.9 |     | 2.0  | 1.9 | 1.9 |     |      | 1.6 | 1.7 | 1.7 |     | 68 |
| 70 | 2.0  |     |     |     | 1.8  | 1.9 |     |     | 2.0  | 1.9 |     |     | 1.8  | 1.7 | 1.8 |     |      | 1.4 | 1.6 | 1.5 |     | 70 |
| 72 | 0.7  |     |     |     | 1.7  | 1.9 |     |     | 1.8  | 1.9 |     |     | 1.7  | 1.6 | 1.7 |     |      | 1.3 | 1.4 | 1.2 |     | 72 |
| 74 |      |     |     |     | 1.5  |     |     |     | 1.6  | 1.7 |     |     | 1.4  | 1.5 | 1.6 |     |      | 1.1 | 1.2 | 1.0 |     | 74 |
| 76 |      |     |     |     |      |     |     |     | 1.4  | 1.6 |     |     | 1.3  | 1.3 |     |     |      | 1.0 | 1.1 | 0.9 |     | 76 |
| 78 |      |     |     |     |      |     |     |     | 1.2  | 1.4 |     |     | 1.1  | 1.2 |     |     |      |     |     |     |     | 78 |
| 80 |      |     |     |     |      |     |     |     |      |     |     |     | 1.0  | 1.1 |     |     |      |     |     |     |     | 80 |
| 82 |      |     |     |     |      |     |     |     |      |     |     |     | 0.8  | 1.0 |     |     |      |     |     |     |     | 82 |